

# Drain: Gratar FONTA BASE FULGA pt camin patrat A15 300x300 (3334)

## 3334

**280 mm**  
HOSSZ

**22 mm**  
MAGASSÁG

**280 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

Pedestrian zones and cycling paths with low traffic intensity. They are ideal for private and residential constructions.

### MINŐSÉGI FELTÉTELEK:

- SR EN 124-6
- EU Regulation No. 305/2011
- Approval + Technical Approval No. 001SC-04/816-2021

### ELŐNYÖK:

- Durability;
- Aesthetic design;
- Balanced ratio between load class and product weight;
- Warranty (2 years)
- Easy to handle

### TERMÉKGARANCIA:

- 20 years - subject to compliance with assembly, storage and operation instructions.

## SZERELÉS

The grate can be installed separately or as a drain manhole cover.

 For efficient installation, we recommend using G12M29-C sealant.

It is used for sealing gutters, pipes and drainage systems;

- Curing time: 24h/2-3 mm

- Temperature resistance: -40° C to +70° C

- Processing temperature: +5° C to +40° C

- BASE sealing paste (sealant) PP-FB-PB gutters, tube, 310 ml (G12M29-C)



**JELLEMZŐK**

<b>Termék neve</b>	Gratar FONTA BASE FULGA pt camin patrat A15 300x300 (3334)
<b>Termékkód</b>	3334
<b>EAN kód</b>	6424589099929
<b>Termékkategória</b>	Accesorii BASE
<b>Brand</b>	Drain
<b>Súly</b>	3.50 kg
<b>Hossz, mm</b>	280
<b>Szélesség, mm</b>	280
<b>Magasság (M), mm</b>	22
<b>Elosztó</b>	VODALAND BALKAN SRL
<b>Termék anyaga</b>	Öntöttvas
<b>Szín</b>	Fekete
<b>Termelő</b>	VODALAND INDUSTRY LLC