



# Urban: Capac PP URBAN Verde rotund necarosabil D.800 PL.600 Hext.80 cu inchizator A15 (35288-22)

35288-22

800 mm LENGTH / EXTERIOR DIAMETER 600 mm width / interior diameter



### **USAGE:**

Plastic covers are used in stormwater sewer networks and to cover access soaces and installations located in pedestrian areas with light traffic.

## **QUALITY CONDITIONS:**

- SR EN 124-6 compliant
- EU Regulation No. 305/2011 compliant
- Declaration of conformity

# **ADVANTAGES:**

- Durability
- Aesthetic design
- Balanced ratio between load class and product weight
- Warranty (2 years)

### LIFESPAN:

• 20 years - with proper adherence to installation, storage, and operation instructions.

Pag. 1/3 www.vodaland.ro





### **INSTALLATION**


Installation and commissioning should only take place in areas that are consistent with the product's load class, A15: pedestrian zones with light traffic. Commissioning should be carried out by specialized personnel.


For efficient installation, we recommend using the G12M29C sealant. It is used for sealing trenches, pipes, and drainage systems.



- Cure time: 24 hours for a 2-3 mm thickness
- Application temperature: -10° C to +40° C
- Storage conditions: Store in a ventilated space at low temperatures.

BASE sealant, construction products, 310 ml tube (G12M29-C).









# Accessories 35288-22





Capac PP URBAN Gri rotund necarosabil D.800 PL.600 Hext.80 cu inchizator A15 (35288-24)

Pag. 2/3 www.vodaland.ro





CHARACTERISTICS	
Product name	Capac PP URBAN Verde rotund necarosabil D.800 PL.600 Hext.80 cu inchizator A15 (35288-22)
Product code	35288-22
EAN code	6426282034528
Product cathegory	Capace plastic A15
Brand	Urban
Weight	6.42 kg
Stock availability	Stockable
Length, mm	-
Width, mm	-
Height (H), mm	80
Diameter (D, mm)	800
Interior diameter / Clear opening (mm)	600
Load class	A15
Product Material	Polypropylene
Fastening System	Screw
Colour	Green
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC

Pag. 3/3 www.vodaland.ro