

Drain: Camin PP BASE pt rigola PP LN200 A15-C250 500x260x600 (858007)

858007

500 mm
HOSSZ

600 mm
MAGASSÁG

260 mm
SZÉLESSÉG



FELHASZNÁLÁS:

The BASE range of fire extinguishers are used on pedestrian surfaces, in public traffic areas, parking lots, on road surfaces, near sidewalk curbs and in non-traffic areas without shoulders.

MINŐSÉGI FELTÉTELEK:

- EU Regulation No. 305/2011
- Declaration of conformity
- SR EN 13598-1

ELŐNYÖK:

- Easy to handle and install
- UV resistant
- Various widths and installation heights
- Can be used with gratings of class A15-C250
- Long service life

TERMÉKGARANCIA:

- 20 years - subject to compliance with assembly, storage and operation instructions.

SZERELÉS

The BASE range of manholes allows for direct connection of pipes or gutters. Connections are made quickly and easily, with the connection slots being factory-prepared. Removal is very easy and does not require special equipment.

! For efficient installation, we recommend using G12M29-C sealant. It is used for sealing gutters, pipes and drainage systems.



- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



Tartozékok 858007



JELLEMZŐK

| | |
|---------------------------------------|--|
| Termék neve | Camin PP BASE pt rigola PP LN200 A15-C250 500x260x600 (858007) |
| Termékkód | 858007 |
| EAN kód | 6427669003274 |
| Termékkategória | Cămine plastic BASE (A15-C250) |
| Brand | Drain |
| Súly | 4.70 kg |
| Készlet elérhetősége | Egyedi gyártású |
| Hossz, mm | 500 |
| Szélesség, mm | 260 |
| Magasság (M), mm | 600 |
| Csőcsatlakozás (DN) | DN110, DN160, DN200, DN250, DN315, DN400 |
| Ereszcsatorna-csatlakozás (LN) | LN200 |
| Terhességi osztály | C250 |
| Termék anyaga | Polipropilén |
| Grill Anyaga | Öntöttvas |
| Szín | Fekete |
| Gyártói kód | 858007 |
| Rácsrögzítő rendszer | Csavar |
| Garancia, hónap | 24 |
| Termelő | VODALAND INDUSTRY LLC |