

# Drain: Kit rigola PP BASE LN100 Hext.60 gratar FONTA clasica C250 1000x156x60 (08050203031)

## 08050203031

**1000 mm**  
HOSSZ

**60 mm**  
MAGASSÁG

**156 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

BASE C250 drainage channels are intended for rainwater drainage and are used in public areas, parking lots and on roadsides, next to sidewalk curbs and in non-traffic areas.

### MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2003
- In accordance with EU Regulation No. 305/2011
- Declaration of performance

### ELŐNYÖK:

- Easy to handle and install
- UV-resistant
- Various widths and installation heights
- Suitable for public areas
- Long lifespan

### TERMÉKGARANCIA:

- 20 years - when installation, storage, and operation instructions are followed

## SZERELÉS


The BASE drainage system can be installed without a collector pit, as both ends of the channel can be closed with either simple end pieces or end pieces with drainage. The discharge to the sewer system is done through the vertical connection or the end plate with drainage. For projects exceeding 20 linear meters, we recommend installing a sand trap every 20 meters for easier inspection and cleaning.

**!** For efficient installation, we recommend using the G12M29-C sealant. It is used for sealing channels, pipes, and drainage systems.



- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40° C
- Maximum storage temperature: 32° C

BASE sealant, construction products, 310 ml tube (G12M29-C).



## Tartozékok 08050203031



**JELLEMZŐK**

<b>Termék neve</b>	Kit rigola PP BASE LN100 Hext.60 gratar FONTA clasica C250 1000x156x60 (08050203031)
<b>Termékkód</b>	08050203031
<b>EAN kód</b>	6426282034900
<b>Termékkategória</b>	Rigole plastic BASE (A15-C250)
<b>Brand</b>	Drain
<b>Súly</b>	6.50 kg
<b>Készlet elérhetősége</b>	Tárolható
<b>Hossz, mm</b>	1000
<b>Külső szélesség, mm</b>	156
<b>Névleges szélesség, mm</b>	LN100
<b>Külső magasság, mm (Hext)</b>	60
<b>Belső magasság, mm (Hint)</b>	42
<b>Terhességi osztály</b>	C250
<b>Ereszcsatorna anyaga</b>	Polipropilén
<b>Grill Anyaga</b>	Öntöttvas
<b>Rácsrögzítő rendszer</b>	Szj
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC