


Drain: Sifon INOX STAINLESS 150x150 cu gratar tip grila antialunecare iesire verticala DN110 L15 151x151x130 (0525.10.11.3.3-1-EU)

0525.10.11.3.3-1-EU

151 mm
LENGTH

130 mm
HEIGHT

151 mm
WIDTH



USAGE:

The stainless steel trap for drainage is a useful, pragmatic, and modern solution used for evacuating wastewater and directing it toward underground sewage lines. It is used in private or public kitchens, laboratories or any environment that requires resistance to chemical substances or high sanitary levels.

QUALITY CONDITIONS:

- According to SR EN 1253-1:2015.

ADVANTAGES:


- Easy access for inspection and cleaning
- Easy to clean and disinfect
- Corrosion resistance
- Resistant to heat and to detergents and disinfectants
- Suitable for the food industry
- Long lifespan

LIFESPAN:

- 20 years - with proper adherence to installation, storage, and operation instructions.

INSTALLATION

The commissioning of stainless steel traps should be done by specialized personnel, in compliance with the manufacturer's instructions and safety and stability requirements. Stainless steel traps can also transport other types of industrial wastewater, provided there is no risk of damaging components or harming health.

 For efficient installation, we recommend using the G12M29-C sealant. It is used for sealing trenches, pipes, and drainage systems.




- Cure time: 24 hours for 2-3 mm thickness
- Temperature resistance: -40° C to +70° C
- Processing temperature: +5° C to +40° C


BASE sealing paste (sealant) for PP-FB-PB trenches, tube, 310 ml (G12M29-C).




1



2



3



4

CHARACTERISTICS

Product name	Sifon INOX STAINLESS 150x150 cu gratar tip grila antialunecare iesire verticala DN110 L15 151x151x130 (0525.10.11.3.3-1-EU)
Product code	0525.10.11.3.3-1-EU
EAN code	6426282034443
Product category	Sifoane pardoseală din inox
Brand	Drain
Weight	1.77 kg
Stock availability	Stockable
Length, mm	151
Width, mm	151
Height (H), mm	130
Pipe connection (DN)	110
Load class	L15
Product Material	Inox
Grate fastening system	Click
Warranty, months	24
Lifespan, years	20
Producer	VODALAND INDUSTRY LLC