

# Drain: Kit rigola PP BASE LN100 Hext.80 gratar FONTA clasica C250 1000x156x80 (08010203031)

## 08010203031

**1000 mm**  
HOSSZ

**80 mm**  
MAGASSÁG

**156 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

The BASE C250 class channels are designed for stormwater drainage and are used in public traffic areas, parking lots, and on road surfaces, next to curbs, and in untrafficked areas without shoulders.

### MINŐSÉGI FELTÉTELEK:

- In accordance with SR EN 1433:2002
- In compliance with EU Regulation No. 305/2011
- Declaration of Performance

### ELŐNYÖK:

- Easy to handle and install
- UV resistance
- Stock availability
- Long lifespan

### TERMÉKGARANCIA:

- 20 years - with proper installation, storage, and operation instructions followed

## SZERELÉS

The channels drainage system can be installed without a collector chimney because both ends of the gutter can be closed with end pieces, and the discharge point to the sewer network will be made through the vertical connection of the gutterchannel. For the correct operation and durability of the system, it is recommended to strictly follow the installation instructions provided by the manufacturer, as well as to have the installation work carried out by qualified and authorized personnel. Correct installation guarantees the optimal performance of the drainage system and prevents any problems arising during operation.





For efficient installation, we recommend using the G12M29-C sealant.

It is used for sealing channels, pipes, and drainage systems.



- Curing time: 24 hours/2-3 mm
- Operating temperature: +5°C to +40°C
- Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).



## Tartozékok 08010203031



HU Etansant BASE, produse pentru constructii, tub 310 ml (G12M29-C)



Piesa trecere PP BASE pt rigola LN100 Hext.80-120 (6850/1-2)



**JELLEMZŐK**

<b>Termék neve</b>	Kit rigola PP BASE LN100 Hext.80 gratar FONTA clasica C250 1000x156x80 (08010203031)
<b>Termékkód</b>	08010203031
<b>EAN kód</b>	6427669000594
<b>Termékkategória</b>	Rigole plastic BASE (A15-C250)
<b>Brand</b>	Drain
<b>Súly</b>	6.70 kg
<b>Készlet elérhetősége</b>	Tárolható
<b>Hossz, mm</b>	1000
<b>Külső szélesség, mm</b>	145
<b>Névleges szélesség, mm</b>	LN100
<b>Külső magasság, mm (Hext)</b>	80
<b>Belső magasság, mm (Hint)</b>	56
<b>Terhességi osztály</b>	C250
<b>Ereszcsatorna anyaga</b>	Polipropilén
<b>Grill Anyaga</b>	Öntöttvas
<b>Rácsrögzítő rendszer</b>	Szj
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC