

# Drain: Kit rigola PP BASE LN100 Hext.120 gratar FONTA clasica C250 1000x156x120 (08020203031)

## 08020203031

**1000 mm**  
HOSSZ

**120 mm**  
MAGASSÁG

**156 mm**  
SZÉLESSÉG



### FELHASZNÁLÁS:

BASE C250 drainage channels are intended for rainwater drainage and are used in public areas, parking lots and on roadsides, next to sidewalk curbs and in non-traffic areas.

### MINŐSÉGI FELTÉTELEK:

- According to SR EN 1433:2003
- In accordance with EU Regulation No. 305/2011
- Declaration of performance

### ELŐNYÖK:

- Easy to handle and install
- UV-resistant
- Various widths and installation heights
- Suitable for public areas
- Long lifespan

### TERMÉKGARANCIA:

- 20 years - when installation, storage, and operation instructions are followed

## SZERELÉS


The Base drainage system can be installed without a sand trap because both ends of the channel can be closed with end caps and the discharge point to the sewage system can be made through the vertical connection of the channel.

**!** For efficient installation, we recommend using the G12M29-C sealant. It is used for sealing channels, pipes, and drainage systems.



- Curing time: 24h/2-3 mm
- Application temperature: +5° C to +40° C
- Maximum storage temperature: 32° C

BASE sealant, construction products, 310 ml tube (G12M29-C).



## Tartozékok 08020203031



HU Etansant BASE, produse pentru constructii, tub 310 ml (G12M29-C)



Placa capat PP BASE cu stut DN110 pt rigola LN100 Hext.100/120 (6308-2)



Placa capat PP BASE pt rigola LN100 Hext.120 (630120)

**JELLEMZŐK**

<b>Termék neve</b>	Kit rigola PP BASE LN100 Hext.120 gratar FONTA clasica C250 1000x156x120 (08020203031)
<b>Termékkód</b>	08020203031
<b>EAN kód</b>	6426282039011
<b>Termékkategória</b>	Rigole plastic BASE (A15-C250)
<b>Brand</b>	Drain
<b>Súly</b>	7.00 kg
<b>Készlet elérhetősége</b>	Egyedi gyártású
<b>Hossz, mm</b>	1000
<b>Külső szélesség, mm</b>	156
<b>Névleges szélesség, mm</b>	LN100
<b>Külső magasság, mm (Hext)</b>	120
<b>Belső magasság, mm (Hint)</b>	85
<b>Terhességi osztály</b>	C250
<b>Ereszcsatorna anyaga</b>	Polipropilén
<b>Grill Anyaga</b>	Öntöttvas
<b>Rácsrögzítő rendszer</b>	Szj
<b>Garancia, hónap</b>	24
<b>Termelő</b>	VODALAND INDUSTRY LLC