



Drain: Kit rigola FB PRO LN100 Hext.160 muchii OZ gratar FONTA D400 1000x160x160 (040071334/160)

040071334/160

1000 mm LENGTH 160 mm

160 mm WIDTH



USAGE:

They are designed for draining surface rainwater from public circulation areas, together with gutters of the same load class. They can be installed on shoulders, parking lots, and parking spaces for all types of road vehicles.

QUALITY CONDITIONS:

- EU Regulation No. 305/2011
- SR EN 13598-1

ADVANTAGES:

- Easy to handle and install
- UV-resistant
- · Various widths and installation heights
- Suitable for industrial areas
- Long service life

LIFESPAN:

• 50 years – when installation, storage, and usage instructions are followed.

Pag. 1/3 www.vodaland.ro





INSTALLATION

The PRO drainage system can be installed without a collector manhole, as both ends of the gutter can be closed either with simple end pieces or with end pieces featuring an outlet. Discharge into the sewage system can be done through the vertical connection of the gutter or via the end plate with an outlet.

For projects exceeding 20 linear meters, we recommend installing a collector manhole every 20 meters to facilitate inspection and cleaning of the gutter line, thereby reducing the risk of clogging.

For efficient installation, we recommend using the G12M29C sealant. It is used for sealing gutters, pipes, and drainage systems.



• Curing time: 24h / 2-3 mm

• Application temperature: +5°C to +40°C

• Maximum storage temperature: 32°C

BASE sealant, construction products, 310 ml tube (G12M29-C).













Pag. 2/3 www.vodaland.ro





CHARACTERISTICS	
Product name	
Product code	040071334/160
EAN code	6427669010678
Product cathegory	Rigole beton PRO (D400)
Brand	Drain
Weight	44.08 kg
Stock availability	On order
Length, mm	1000
Width, mm	160
Nominal Length, mm	LN100
Exterior Height, mm (Hext)	160
Interior Height, mm (Hint)	125
Load class	D400
Channel material	Concrete
Grate Material	Cast Iron
Warranty, months	24
Lifespan, years	50
Producer	BETONIKA

Pag. 3/3 www.vodaland.ro