


Drain: Kit rigola FB PRO LN100 Hext.160 muchii OZ gratar FONTA D400 1000x160x160 (040071334/160)

040071334/160

1000 mm
HOSSZ

160 mm
MAGASSÁG

160 mm
SZÉLESSÉG



FELHASZNÁLÁS:

They are designed for draining surface rainwater from public circulation areas, together with gutters of the same load class. They can be installed on shoulders, parking lots, and parking spaces for all types of road vehicles.

MINŐSÉGI FELTÉTELEK:

- EU Regulation No. 305/2011
- SR EN 13598-1

ELŐNYÖK:

- Easy to handle and install
- UV-resistant
- Various widths and installation heights
- Suitable for industrial areas
- Long service life

TERMÉKGARANCIA:

- 50 years - when installation, storage, and usage instructions are followed.

SZERELÉS

The PRO drainage system can be installed without a collector manhole, as both ends of the gutter can be closed either with simple end pieces or with end pieces featuring an outlet. Discharge into the sewage system can be done through the vertical connection of the gutter or via the end plate with an outlet.

For projects exceeding 20 linear meters, we recommend installing a collector manhole every 20 meters to facilitate inspection and cleaning of the gutter line, thereby reducing the risk of clogging.




For efficient installation, we recommend using the G12M29C sealant. It is used for sealing gutters, pipes, and drainage systems.



- Curing time: 24h / 2-3 mm
- Application temperature: +5°C to +40°C
- Maximum storage temperature: 32°C


BASE sealant, construction products, 310 ml tube (G12M29-C).



Conexiune camin colector



Conexiune tronson




Conexiune tronson



Disponibil si cu conexiune verticala

Tartozékok 040071334/160



JELLEMZŐK

Termék neve	Kit rigola FB PRO LN100 Hext.160 muchii OZ gratar FONTA D400 1000x160x160 (040071334/160)
Termékkód	040071334/160
EAN kód	6427669010678
Termékkategória	Rigole beton PRO (D400)
Brand	Drain
Súly	44.08 kg
Készlet elérhetősége	Egyedi gyártású
Hossz, mm	1000
Szélesség, mm	160
Névleges szélesség, mm	LN100
Külső magasság, mm (Hext)	160
Belső magasság, mm (Hint)	125
Terhességi osztály	D400
Ereszcsatorna anyaga	Szálas beton
Grill Anyaga	Öntöttvas
Garancia, hónap	24
Termelő	BETONIKA