



Drain: Kit rigola FB PRO LN200 Hext.260 muchii OZ gratar FONTA D400 1000x260x260 (045071334/260)

045071334/260

1000 mm LENGTH 260 mm

260 mm



USAGE:

PRO series gutters of class D400 are intended for the drainage of surface rainwater from public traffic areas. They can be placed on shoulders, parking lots and parking spaces for all types of road vehicles.

OUALITY CONDITIONS:

- According to SR EN 1433:2003
- According to EU Regulation No. 305/2011
- Declaration of Performance

ADVANTAGES:

- · Easy to handle and install
- UV-resistant
- · Various installation widths and heights
- Use in public areas
- Long service life

LIFESPAN:

• 50 years - subject to compliance with assembly, storage and operation instructions


Pag. 1/3 www.vodaland.ro





INSTALLATION

We recommend that the PRO gutter drainage system be installed next to a manhole, every 20 linear meters of gutter, or, if the installation of a manhole is not possible, gutters with vertical discharge can be used. The system is closed with end plates on both sides.




It is used for sealing gutters, pipes and drainage systems.

- Curing time: 24h/2-3 mm
- Operating temperature: -10° C to +40° C
- Storage conditions: Store in a ventilated area, at low temperatures.

BASE sealant, construction products, 310 ml tube (G12M29-C).









Accessories 045071334/260





Placa capat PB PRO cu stut pt rigola FB LN200 Hext.260 (6751-09BD/260)



Placa capat PB PRO pt rigola FB LN200 Hext.260 (6751-BD/260)

Pag. 2/3 www.vodaland.ro





CHARACTERISTICS	
Product name	
Product code	045071334/260
EAN code	6426282034856
Product cathegory	Rigole beton PRO (D400)
Brand	Drain
Weight	97.00 kg
Stock availability	On order
Length, mm	1000
Width, mm	260
Nominal Length, mm	LN200
Exterior Height, mm (Hext)	260
Interior Height, mm (Hint)	225
Load class	D400
Channel material	Concrete
Grate Material	Cast Iron
Warranty, months	24
Lifespan, years	50
Producer	VODALAND INDUSTRY LLC

Pag. 3/3 www.vodaland.ro