

**The product is shipped according to Standard Equipment(Tabl.1), unless otherwise specified in the Additional (Tabl.2). The full

***The manufacturer has the right to make constructive and pattern changes that do not worsen the characteristics of the

configuration of the product is agreed with the manager.

Permissible deviation during production of products is 1–3%.

product as a whole

Additional Information::

B-Fixing the manhole with the tank*** Detail A.1-Traffic zone C.1 Detail A.2-Pedestrain zone C.1 Detail A.3-Grass zone Rev. Q-ty Sh. №doc. Sign. MS sealant Sheet Technical liquid`s Tank TT-35

Specification of materials and equipment. Standard equipment ** (Tabl.1) Pos. Identification Name pc. kg Technical liquid`s Tank Vodaland TankTechnical-35, volume 35m³, Vodaland horizontal, fiberglass, D=2400 mm L=8000 mm Inspection manhole Ø800x620 D1-Inlet pipe

D2-Outlet pipe

**The product is shipped according to Standard Equipment(Tabl.1), unless otherwise specified in the Additional (Tabl.2)

Pipe PVC SN4 Ø 200

	Additi	ional equipment (Tabl.2)			
Pos.	Identification	Name			Note
A , B		D1-Inlet pipe/D2-Outlet pipe:	Ð	G	
	Pipework connection: D1, D2:	Socket end			
		Smooth end			
		An.:			
	Diameter D pipes D1,D2:	Ø90			
		Ø160			
		An.:			
С	Manhole design (see A.1, A.2)				
	C.1 Cover:	Garden plastic			
		Load class A15			
		Load class C250			
		Load class D400			
	C.2	Fiberglass coverØ620			
	C.3 Fiberglass adaptor plate	Ø620, h=200mm			
		None			
		An.:			
D	D.Universal ladder	Aluminum			
		s/s			
Ε	E.Fastening	Belt fastening			
F	F.Ventilation	Vent.pipe PVC SN4 Ø110 with fungus			
		An.:			
G	G.Additional equipment				

Sheets