


## Oil Separator with sludge trap OilBaseH100 - 10 (\$ 1:25)





A -Manhole design \*

B - Fixing the manhole with the body \*\*\*



Note:

- \*H-depth of the inlet connection, mm (in standard equipment H up to 2000 mm). H take a multiple of 50mm.

  When filling the manhole A.1-the overal height of the product is less than 200mm; A.2-the total height of the product is bigger than 100 mm.
- \*\* The product is shipped according to Standard Equipment (Tabl. 1), unless otherwise specified in the Additional Equipment (Tabl. 2).

  The complete set of the product agrees with the manager.
- \*\*\*The product is shipped according to Standard Equipment ( Tabl. 1), unless otherwise specified in the Additional ( Tabl. 2)
  Permissible deviation during production of products is 1–3%.

Additional Information:

Additional information.

Specification of materia	ls and equipment.	. Standard equip	oment **( Tabl. 1)
--------------------------	-------------------	------------------	--------------------

Pos.	Identification	Name	Q-tu	Mass ps.,kg	Note
1	Vodaland	Oil Separator with sludge trap Vodaland OilBaseH100 -10, disch 10 l/s, fiberglass, D= 1200, L= 2800 mm	1		compl.
2		Inspection manhole Ø800 / 620	0/2		compl.
3.1,3.2	D1-Inlet / D2-Outlet	For connection PVC SN4 Ø 160	2		compl.
4		Coalescent block	1		compl.
5		Automatic closure device	1		compl.
		Volume of light liquids	500		l
		Volume of sludge trap	1000		l

\*\* The product is shipped according to Standard Equipment (Tabl. 1), unless otherwise specified in the Additional Equipment (Tabl. 2)

## Additional equipment (Tabl.2)

Pos			Iden	tificatio	חמ		Name			Note	
A , B							D1-Inlet / D2-Outlet :	Ð	G		
	A.For connection D1, D2:			01, D2:	PVC						
	B.Diameter D1, D2:						PE100				
					Corsis						
					D1/D2						
							Another:				
C <u>Manhole design</u> (see A.1, A							4 .1, A .2	?, A.3)			
	C.1 Cover:				Garden plastic						
					Type "L" class A15						
			Type "T" class C250								
						Type "TM" class D400					
		C.2 Fiberglass cove:  C.3 Fiberglass adaptor plate:				cove:	Ø620				
						plate:	Ø620, h=200 mm				
							Another:			• • • • • • • • • • • • • • • • • • •	
D		D. Universal ladder		Aluminium							
							s/s				
Ε					E. Fas	tening	Belt fastening for				
Н		H. Level sensor					Sludge			A A	
П							Oil				
							Another:				

V.	Q-tu	Sh.	№doc.	Sign	Date	
						Oil Separator with sludge trap

Oil Separator with sludge trap OilBaseH100 – 10 ( OBH1– 10)



Sheet

Sheets

Format A