



Oil Separator with sludge trap OilBaseH100-40 (S 1:30)



*A -Manhole design **

*B-Fixing the manhole with the body ****



Note:

*H-depth of the inlet connection, mm (in standard equipment H up to 2000 mm). H take a multiple of 50mm.

When filling the manhole A.1-the overall height of the product is less than 200mm; A.2-the total height of the product is bigger than 100 mm.

***The product is shipped according to Standard Equipment (Tabl. 1), unless otherwise specified in the Additional Equipment (Tabl. 2). The complete set of the product agrees with the manager.*

***The product is shipped according to Standard Equipment (Tabl. 1), unless otherwise specified in the Additional (Tabl. 2)
Permissible deviation during production of products is 1-3%.



Additional Information:


*Specification of materials and equipment. Standard equipment ** (Tabl. 1)*

<i>Pos.</i>	<i>Identification</i>	<i>Name</i>	<i>Q-tu</i>	<i>Mass ps.,kg</i>	<i>Note</i>
1	Vodaland	Oil Separator with sludge trap Vodaland OilBaseH100-40, disch 40 l/s, fiberglass, D= 1600, L= 5400	1		compl.
2		Inspection manhole Ø800 / 620	0/3		compl.
3.1,3.2	D1-Inlet / D2-Outlet	For connection PVC SN4 Ø 315	2		compl.
4		Coalescent block	1		compl.
5		Automatic closure device	1		compl.
		Volume of light liquids	2000		l
		Volume of sludge trap	4000		l

**The product is shipped according to Standard Equipment (Tabl.1), unless otherwise specified in the Additional Equipment (Tabl.2)

Additional equipment (Tabl. 2)

Pos.	Identification	Name	Note
A, B	D1-Inlet / D2-Outlet :		 
	A.For connection D1, D2:	PVC	<input type="checkbox"/> <input type="checkbox"/>
		PE100	<input type="checkbox"/> <input type="checkbox"/>
		Corsis	<input type="checkbox"/> <input type="checkbox"/>
	B.Diameter D1, D2:	D1_____ / D2_____	<input type="checkbox"/> <input type="checkbox"/>
		Another : _____	<input type="checkbox"/> <input type="checkbox"/>
C	<u>Manhole design</u> (see A.1, A.2, A.3)		
	C.1 Cover :	Garden plastic	<input type="checkbox"/>
		Type "L" class A15	<input type="checkbox"/>
		Type "T" class C250	<input type="checkbox"/>
		Type "TM" class D400	<input type="checkbox"/>
	C.2 Fiberglass cove :	ø620	<input type="checkbox"/>
	C.3 Fiberglass adaptor plate :	ø620, h=200 mm	<input type="checkbox"/>
		Another : _____	<input type="checkbox"/>
D	D. Universal ladder	Aluminium	<input type="checkbox"/>
		s/s	<input type="checkbox"/>
E	E. Fastening	Belt fastening for	<input type="checkbox"/>
H	H. Level sensor	Sludge	<input type="checkbox"/>
		Oil	<input type="checkbox"/>
		Another : _____	<input type="checkbox"/>

<i>Rev.</i>	<i>Q-tu</i>	<i>Sh.</i>	<i>Nºdoc.</i>	<i>Sign</i>	<i>Date</i>			
						<i>Stage</i>	<i>Sheet</i>	<i>Sheets</i>
						<div> <div>Oil Separator with sludge trap</div> <div>OilBaseH100 -40</div> <div>(OBH1- 40)</div> </div> <div>  VODALAND </div>		